

# United States Patent and Trademark Office

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/619,096	07/14/2003	Michael P. Kurtgis	4001.017	5803
7:	590 04/05/2005		EXAM	INER
Mark D. Bowen			SHAW, ELIZABETH ANNE	
Steams Weaver	Miller, et al.			
Suite 1900		ART UNIT	PAPER NUMBER	
200 East Broward Boulevard			3644	
Fort Lauderdale	e, FL 33301	DATE MAILED: 04/05/200	5	

Please find below and/or attached an Office communication concerning this application or proceeding.

		Application No.	Applicant(s)			
Office Action Summary		10/619,096	KURTGIS, MICHAEL P.			
		Examiner	Art Unit			
		Elizabeth A. Shaw	3644			
	The MAILING DATE of this communication appears on the cover sheet with the correspondence address Period for Reply					
A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) FROM THE MAILING DATE OF THIS COMMUNICATION.  - Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.  - If the period for reply specified above is less than thirty (30) days, a reply within the statutory minimum of thirty (30) days will be considered timely.  - If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.  - Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133).  Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).						
Status						
1)⊠	☑ Responsive to communication(s) filed on <u>13 January 2005</u> .					
2a)⊠	This action is <b>FINAL</b> . 2b) ☐ Thi	s action is non-final.				
3)□	Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under <i>Ex parte Quayle</i> , 1935 C.D. 11, 453 O.G. 213.					
Disposit	ion of Claims					
5)□ 6)⊠ 7)□	Claim(s) 1-11 is/are pending in the application.  4a) Of the above claim(s) is/are withdrawn from consideration.  Claim(s) is/are allowed.  Claim(s) 1-11 is/are rejected.  Claim(s) is/are objected to.					
Applicat	ion Papers					
9)[	The specification is objected to by the Examin	er.				
10)	10) The drawing(s) filed on is/are: a) accepted or b) objected to by the Examiner.					
	Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).					
11)	Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).  11) The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.					
Priority (	under 35 U.S.C. § 119					
<ul> <li>12) Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).</li> <li>a) All b) Some * c) None of: <ol> <li>Certified copies of the priority documents have been received.</li> <li>Certified copies of the priority documents have been received in Application No</li> <li>Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).</li> </ol> </li> <li>* See the attached detailed Office action for a list of the certified copies not received.</li> </ul>						
2) Notice	ce of References Cited (PTO-892) ce of Draftsperson's Patent Drawing Review (PTO-948)	4) Interview Summary Paper No(s)/Mail D	ate			
3) Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08)  Paper No(s)/Mail Date  5) Notice of Informal Patent Application (PTO-152)  6) Other:						

Art Unit: 3644

### **DETAILED ACTION**

#### Terminal Disclaimer

The terminal disclaimer filed on Jan. 13, 2005 disclaiming the terminal portion of any patent granted on this application which would extend beyond the expiration date of .

U. S. Patent No. 6,604,712 has been reviewed and is NOT accepted.

The disclaimer fee of \$65.00 in accordance with 37 CFR 1.20(d) has not been submitted, nor is there any authorization in the application file to charge a specified Deposit Account or credit card.

## **Double Patenting**

The nonstatutory double patenting rejection is based on a judicially created doctrine grounded in public policy (a policy reflected in the statute) so as to prevent the unjustified or improper timewise extension of the "right to exclude" granted by a patent and to prevent possible harassment by multiple assignees. See *In re Goodman*, 11 F.3d 1046, 29 USPQ2d 2010 (Fed. Cir. 1993); *In re Longi*, 759 F.2d 887, 225 USPQ 645 (Fed. Cir. 1985); *In re Van Ornum*, 686 F.2d 937, 214 USPQ 761 (CCPA 1982); *In re Vogel*, 422 F.2d 438, 164 USPQ 619 (CCPA 1970);and, *In re Thorington*, 418 F.2d 528, 163 USPQ 644 (CCPA 1969).

A timely filed terminal disclaimer in compliance with 37 CFR 1.321(c) may be used to overcome an actual or provisional rejection based on a nonstatutory double patenting ground provided the conflicting application or patent is shown to be commonly owned with this application. See 37 CFR 1.130(b).

Effective January 1, 1994, a registered attorney or agent of record may sign a terminal disclaimer. A terminal disclaimer signed by the assignee must fully comply with 37 CFR 3.73(b).

Claims 1-11 are rejected under the judicially created doctrine of obviousness-type double patenting as being unpatentable over claims 1-10 of U.S. Patent No. 6,604,712 in view of Sherwood (6,374,945). Although the conflicting claims are not identical, they are not patentably distinct from each other because in both instances a method claimed is of providing fall protection for human or non-human loads from an aerial lift to a structure including the steps of connecting a safety lanyard apparatus to a

Art Unit: 3644

load- the apparatus having first and second lanyards each terminating in a free end, the first lanyard segment having a releasable mechanical connection capable of being activated to disconnect a normally secured free end; a means for activating the releasable mechanical connection in response to a predetermined tensional force and connecting the first lanyard to the aerial lift and the second lanyard to the structure such that failure of the aerial lift places tension on the lanyards triggering the means for activating the means for releasing the first lanyard such that the load is secured to the structure via the second lanyard. Kurtgis does not mention providing fall protection for a human load. Sherwood discloses a fall prevention system 16 for preventing a human from falling. It is considered that the human is a load and also that the fall prevention system can be used to prevent non-human loads from falling. To use the teaching preventing and human load from falling of Sherwood with the method of Kurtgis would have been obvious to one skilled in the art in order to widen the variety of uses applicable to the safety device.

#### Conclusion

THIS ACTION IS MADE FINAL. Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within TWO MONTHS of the mailing date of this final action and the advisory action is not mailed until after the end of the THREE-MONTH shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any

Application/Control Number: 10/619,096 Page 4

Art Unit: 3644

extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the mailing date of this final action.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Elizabeth A. Shaw whose telephone number is 571-272-6908. The examiner can normally be reached on M-Th 9:00-4:30.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Teri Luu can be reached on 703-305-7421. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Elizabeth A. Shaw

Examiner Art Unit 3644

March 31, 2005

TERI PHAM LUU SUPERVISORY